

## **CITY OF NEW HAVEN**

## DEPARTMENT OF FIRE SERVICE



Office of the Fire Marshal

**Justin Elicker** 

Mayor

John Alston

Chief

## **INSPECTION CERTIFICATE**

Jerry Rynich **Acting Fire Marshal** Fire Marshal's Office 952 Grand Avenue P.O. Box 374 New Haven, CT 06511

TEL: (203) 946-6232 FAX: (203) 946-8383

On	5/6	the New Haven Office of the Fire Marshal conducted an inspection
of		Watson Center
loca	ted at	60 Sachem Street, New Haven, CT 06511
in th	ne City	of New Haven to determine the degree of compliance with the fire safety requirements
of C	Connec	cicut General Statutes Chapter 5410 as authorized by Section 29-305 of the statutes
This	s facili	y was evaluated as an Existing Assembly as classified by the
CO	NNEC	FICUT STATE FIRE SAFETY CODE. As a result of this inspection, the following
cond	ditions	were found by: Steve Martin FM5
$\boxtimes$	I.	At the time of inspection, no code violations were identified.  Certificate of approval recommended.
	II.	At the time of inspection, conditions were discovered to be contrary to the minimum requirements of these codes. An acceptable plan of correction was submitted. (See attached information). Certificate of approval recommended.
	III.	At the time of inspection, conditions were discovered to be contrary to the minimum requirements of these codes. No approval plan of correction was submitted. ( <i>See attached information</i> ). Certificate of approval Not recommended.
	IV.	Based on the extreme hazard to public safety discovered at the time of this inspection, this office is currently seeking an injunction from the court through our City Attorney for the purpose of closing or restricting usage of this facility by the public. ( <i>See attached information</i> ). <b>Certificate of approval Not recommended.</b>
		Steve Martin 5 /6/25
		(Signature) (Date)
	erry Ryı Acting Fi	ch Heather Dillon Fernando Ramirez e Marshal Acting Deputy Fire Marshal Acting Life Safety Compliance Officer
Fee A	Applies: `	For Office Use Only  Solution See Amount: Date Paid: Revd by: